

QUALITY FOR LIFE



Across four generations and 115 years, my family has sought to make the best quality products for our customers. We know that the quality of our products only matters if it benefits those we serve. Today our goal is simple: to bring friends and families together through amazing outdoor living spaces.

Every customer has a unique vision for their perfect outdoor living space, which is why EP Henry offers a broad assortment of distinctive pavers and walls that set the standard for beauty, quality, and durability. This year we're proud to continue our industry-leading legacy with news about several exciting innovations.

Our biggest innovation for 2018 is the new ColorTech™ line of premium pavers. These pavers capture the look of natural stone through a unique process that creates deeper, richer colors and extends color fastness and durability over time. For a premium look that's "a cut above" natural stone, ColorTech paves a new path.


Another innovation that has taken the industry by storm is our exclusive Cast Stone Wall Collection, which offers a beautiful range of colors and textures that replicate those found in natural stone. We're expanding the line to include Birch, a new on-trend color which will quickly become among the most popular in the collection.

In addition, we are excited to announce the expansion of our Imperial line, which is designed to offer a superior value to our competitors' leading products. Imperial Pavers are manufactured with the same EP Henry quality standards you'll find in all of our products, and are available in a range of some of the most popular colors and profiles in our industry.

Seeing is believing, and we strongly encourage you to see the EP Henry difference for yourself through one of our EP Henry Authorized Hardscaping Contractors® or by visiting one of our EP Henry Authorized Hardscaping Distributors®.

From my family to yours, I wish you all the best in 2018,

JC Honry III



Are you ready to start your path toward the outdoor lifestyle of your dreams? Visit us at ephenry.com for even more inspiration, to find an EP Henry Authorized Hardscaping Contractor, or to locate a distributor near you.



COLORTECH™ HARDSCAPING INNOVATION

EP Henry ColorTech Pavers are an exciting new innovation which provides a premium look that's "a cut above" natural stone. The secret is a proprietary formula used in the manufacturing process that intensifies the beauty of our pavers while creating a protective coating that is resistant to staining, acid rain and UV rays. Pavers with ColorTech serve to enhance and protect your investment.



Chiseled Stone™ Phoenix with ColorTech



Chiseled Stone™ Sonoran with ColorTech



Chiseled Stone™ Sedona with ColorTech



Chiseled Stone™ Tucson with ColorTech





Cast Stone Wall Collection

With over 70 unique face patterns and textures, EP Henry's patented Cast Stone Wall Collection truly replicates the beauty of natural stone. While it has a premium look, our Cast Stone Walls are typically much more affordable than traditional stone walls. They come in both single and double sided options to create limitless design possibilities and add dimension to any outdoor living space. If you're looking for the premium look of natural stone, no other wall product on the market comes closer than our patented EP Henry Cast Stone Walls.

For more information on the Cast Stone Wall Collection, turn to page 69

Birch: New Color for 2018





TABLE OF CONTENTS

INSPIRATION	02	ECO [®] Collection		Imperial Wall Collection	
Galleries		ECO™ PAVER	65	RUSTIC DOUBLE FACE WALL	100
	0.0	ECO™ COBBLE®	66	MARQUIS WALL™	102
WALL	02	ECO™ DETAILS	67	WOODGATE WALL AND FIRE RING	103
PATIO	08	TURF PAVER	68	FINISHING TOUCHES	104
POOL DECK	14	MONOSLAB	68	FINISHING TOOCHES	104
WALKWAY & STEPS	20	WALLS	69	BULLNOSE	104
DRIVEWAY	24	WALLS		BORDERS	105
PERMEABLE	28	Cast Stone Wall Collection		CAPS	106
CAST VENEER STONE	32	SINGLE SIDED CAST STONE WALL	72	STEPS	110
CAST VENEER STONE OPTIONS	36	DOUBLE SIDED CAST STONE WALL	74	EDGES AND TREADS	111
Buyer's Guide		CAST STONE FACE SHELLS & FIRE PIT KIT	76		
HOW TO MAKE YOUR DREAM A SUCCESS	38	CAST STONE WALL CAPS	77	KITS	112
OUTDOOR LIVING DESIGN TIPS	40			Fire Pit Kits	
EP HENRY - QUALITY FOR LIFE™	41	Garden Wall Collection			11 🔾
		COVENTRY® GARDEN WALL	78	CAST STONE WALL SQUARE FIRE PIT KIT	112
PAVERS	42	ENGLISH GARDEN WALL	79	CAST STONE WALL ROUND FIRE PIT KIT	112
Premiere Paver Collection		Mid-Height Wall Collection		COVENTRY® FIRE PIT KIT	113
		COVENTRY® WALL	81	GRAND FIRE RING KIT	113
BRISTOL STONE®	44	COVENTRY® WALL III	82	Fireplace Kits	
BRISTOL STONE® SMOOTH	46	TUDOR WALL	83	GRAND FIREPLACE KIT	114
CHISELED STONE™	48	TERRACE WALL™	84	COMPACT FIREPLACE KIT	114
DEVONSTONE® SAW CUT	50		04	ISOKERN FIREPLACES	115
LASTRA 20MM PORCELAIN TILES	52	Retaining Wall Collection		Outdoor Kitchen Collection	
Classic Paver Collection		COVENTRY® WALL PLUS	87	Outdoor Kitchen Collection	
BRICK STONE	55	MESA®	88	ISOPANEL MODULAR KITCHENS	116
DANBURY®	56	DIAMOND PRO™	89	ISO'VEN WOOD BURNING PIZZA OVEN	117
DANBURY® SMOOTH PLANK	57	VERTICA™	89	NECESSORIES™ OUTDOOR KITCHEN KITS	118
FORMA STONE™	57	Free-Standing Wall Collection		MORE	120
OLD TOWNE COBBLE®	58	DOUBLE SIDED COVENTRY® WALL	90	WORL	120
VILLAGE SQUARE®	59		90	COLOR PALETTE	120
		DOUBLE SIDED TUDOR WALL	91	ACCESSORIES	138
Aged Paver Collection		IMPERIAL	92	AUTHORIZED DISTRIBUTORS	140
COVENTRY® STONE I	61			WARRANTY DETAILS	143
COVENTRY® BRICK STONE	62	Imperial Paver Collection		NEXT STEPS	144
SOCIETY HILL BRICK STONE™	63	RITTENHOUSE™	94		
		3 PIECE MODULAR	95		
			0.0		
		COBBLE STONE	96		
		COBBLE STONE RUSTIC COBBLE STONE	96		

SYMBOL KEY



ECO PERMEABLE PAVERS

With our eco-friendly paving solutions, you can be sustainable and have a beautiful project.



DO NOT USE FOR VEHICULAR APPLICATIONS

It is not recommend to use these pavers for residential driveways.



DO NOT USE COMPACTOR

Do not use a plate compactor on Devonstone or Lastra products.



BUDGET FRIENDLY

With EP Henry's cost-saving line of pavers and walls, you won't have to sacrifice quality and beauty to have the installation of your dreams. They are available in our most popular shapes and sizes and in colors that are equally as beautiful as other pavers and walls.



DON'T SCUFF THE PAVERS

EP Henry recommends the use of a protective pad between the plate compactor and the paving stones to prevent surface damage during installation. EP Henry will not be held responsible for compaction scuffs or burns on pavers.

COLOR DISCLAIMER

Photographic reproduction, print and online screen resolutions do not always present color precisely. For these reasons and to ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.









Wall Gallery



























Patio Gallery





























Pool Deck Gallery































Walkway & Steps Gallery





















Driveway Gallery













Permeable Gallery



















Cast Veneer Stone Gallery


















CAST VENEER STONE OPTIONS

CAST STONE WALL FACE SHELLS*



Adirondack



Birch



Breckenridge



Durango

GROUT TECHNIQUES

Different grout techniques will impact the appearance and coverage of Cast Veneer Stone. For example, Ledgestone may be laid in a dry stack or mortared, the latter yielding more coverage due to the mortar joints.

For more irregularly shaped profiles, like Pennsylvania Field Stone, use a standard or overgrout joint method. Likewise, colored versus natural (gray) mortar will affect the finished look as well.

EP Henry recommends installation methods and guidelines from the Masonry Veneer Manufacturers Association.





Aspen



Mesa Verde



Silverton

LEDGESTONE

Adirondack



Adirondack Aspen



Birch



Breckenridge









CUT STONE



Adirondack

Breckenridge



Champagne



Mesa Verde



Silverton



Tahoe

EZ FIT




Adirondack



Buckeye



Mesa Verde




Breckenridge



Mesa Verde

BRICK



Chestnut Hill Federal Hill



Fenwick




Fenwick & Federal Hill (Combination)



RIVER ROCK



Potomac







HOW TO MAKE YOUR DREAM A SUCCESS

Here are some tips for how to successfully navigate the path to making your dream outdoor living space a reality.







Phase 1 - Inspiration

TIP 1 PICTURE YOUR PURPOSE

Think about what you'd like to achieve with your new outdoor living space. Do you want a space to relax in the sun, or a place to extend the season? Is your goal to get the kids away from computer and phone screens and into the backyard more? The answers to these questions will determine which features will deliver on your dream.

TIP 2 GET INSPIRED

Even if you already have some ideas about features you want, it's always smart to find inspiration and explore ideas from pictures of finished installations. This catalog is a great place to start. For more ideas and inspiration, visit ephenry.com and view our extensive design galleries.

TIP 3 MAKE YOUR "DREAM" LIST

With your vision clear, it's time to make a list of all of the features you'd love to include in your outdoor space. A fire pit for late-night family s'mores? A space to dine with your spouse? A pool for summer parties with your friends and neighbors?

HERE'S A HANDY LIST OF FEATURES TO CONSIDER:



WALKWAYCreate a beautiful entry from the front yard



PATIO / SEATING AREA Host gatherings of friends and family



CAST STONE WALLS Enclose your space and create outdoor seating



GRILL, BAR OR KITCHENEntertain outdoors
throughout the year



FIREPLACE / FIRE PIT Make Fall and Winter more comfortable



POOLCreate a fun way for family and friends to play



HOT TUBDecompress and unwind



SHADE LOUNGEEscape to a cool place on hot days



FOUNTAIN FEATUREAdd the relaxing sight and sound of water



RETAINING WALLSAdd structure and style to your garden



DRIVEWAYCreate a dramatic entrance to your home



CAST VENEER STONECreate an impressive look for your home itself

Once you have an idea of what you want your dream space to look like, certified EP Henry Authorized Hardscaping Contractors® and Distributors are trusted resources for helping you translate your vision into reality.

Phase 2 - Preparation

GET A CONTRACTOR RECOMMENDATION FROM A TRUSTED SOURCE

Finding the right contractor is a critical step in the process. Take the guesswork out of finding a professional by using one of our recommended EP Henry Authorized Hardscaping Contractors through EP Henry Project Services. With hundreds of pre-qualified installers, we make it easy to get matched with proven professionals that are the right fit for your needs across a range and scope of services. We're so confident in our EP Henry Authorized Hardscaping Contractors that we warranty both our hardscaping products and their installation when you choose one from our registered network (see page 143 for more details on our policy and instructions on how to activate this coverage). Visit ephenry.com today and click on "Find a Contractor" at the top of the page to get connected with an EP Henry Project Consultant who will help you find someone that's right for your project.

THINK ABOUT YOUR BUDGET RANGE

By having a sense of the budget range that you're comfortable with, contractors can provide realistic designs and workarounds that will help you maximize your space.


Phase 3 - Installation

BRINGING YOUR DREAM TO LIFE

Once your plan is set and you've selected a contractor, it's time for the work to begin. The good news is that if you've selected an EP Henry Authorized Hardscaping Contractor, the quality of that person's work has already been vetted and you can trust that the job will go smoothly.

SHARE YOUR SUCCESS

Once the work is complete, we invite you to upload your photos of your new outdoor living space on Facebook and tag us @EPHenryUSA. We love to see homeowners' dream spaces come to life and look forward to seeing yours!



OUTDOOR LIVING DESIGN TIPS

Before choosing your materials, it's important to consider various design elements that will impact the look and feel of your outdoor space. Experts, such as EP Henry Authorized Hardscaping Contractors® and Distributors, are excellent resources when choosing which products are right for your home.







It's important to choose an outdoor color scheme that will pair well with your home's exterior. EP Henry offers an incredibly wide array of color options to complement your home. If you fall in love with a particular color, it's easy to explore which products and shapes it's available in by visiting the product section of ephenry.com. Consistency of color is also very important. Through our unique Colorist system, EP Henry is able to achieve unsurpassed color blending within each paver for beautiful, natural looking results.







Consider how paver shape will interact with the architecture of your home. Different pavers pair well with a traditional home vs. a contemporary one. Similarly, the perfect paver pairing for a brick home may differ from one with siding. Some paver styles lend themselves to creating structured patterns, while others are installed in a random layout. EP Henry Authorized Hardscaping Contractors are great resources for exploring patterns and color options for your favorite paver shapes.








The size of the area being paved can often influence which paver works best. A small patio with large pavers may make a space look smaller, while a large area with small pavers may look too busy. Some larger-scale pavers also don't allow for vehicular traffic. Ask your contractor for advice on which paver size makes the most sense for your project.







PROFILE

Do you prefer a more modern or a more rustic design feel? The texture of the materials you choose will evoke a mood that should match the aesthetic of your home. For example, a weathered look choice such as Coventry Aged Pavers will provide a more rustic vibe, while Bristol Stone Smooth will create an ultra-smooth, contemporary look. Visit your local EP Henry Authorized Hardscaping Distributor® to explore paver profiles and find the one that's right for you.







BORDERS AND ACCENTS

Accent colors and borders add visual interest and can draw the eye throughout the expanse of your outdoor space. Changing a color, pattern, or paver style can even create the impression of a separate space, such as a dining area, within an overall patio design.

Are you ready to start your path toward the outdoor lifestyle of your dreams? Visit us at ephenry.com for even more inspiration, to find an EP Henry Authorized Hardscaping Contractor, or to locate a distributor near you.

EP HENRY - QUALITY FOR LIFE™

At EP Henry, we're on a mission to bring friends and families together through amazing outdoor living spaces. Nowhere is our commitment to quality, and our commitment to you, better represented than in the exclusive EP Henry products below, and the industry-leading warranty that backs them up.

When it comes to quality, seeing is believing. Before you finalize your design decisions, we encourage you to see the EP Henry difference with your contractor or check out samples for yourself at any EP Henry Authorized Hardscaping Distributor®.



THE EP HENRY COLOR DIFFERENCE

From timeless classics to the latest trends, no one offers a better selection of exclusive colors than EP Henry. Looking to find the perfect pairing of pavers with Cast Stone Walls? No need to worry. Our color systems coordinate, allowing anyone to design with confidence.



CAST STONE WALL COLLECTION

EP Henry's patented Cast Stone Wall Collection is the leading innovation in the market for replicating the beauty of natural stone. This collection is typically much more affordable than a traditional natural stone wall and comes in both single- and double-sided options. Explore limitless design possibilities and add dimension to any outdoor living space with the premium look of natural stone.



COLORTECH™ PAVERS

EP Henry ColorTech Pavers are an exciting new innovation which provides a premium look that's "a cut above" natural stone. The secret is a proprietary formula used in the manufacturing process that intensifies the beauty of our pavers while creating a protective coating that is resistant to staining, acid rain and UV rays. Pavers with ColorTech serve to enhance and protect your investment.



IMPERIAL COLLECTION

The Imperial line offers a truly exceptional value. Imperial Pavers and Walls are manufactured with the same EP Henry quality standards and lifetime warranty you'll find in all of our products, and are available in a range of the most popular colors and profiles in our industry. We believe that the choice between Imperial and the competition is clear when you see the difference up close.

FREE EP HENRY PROJECT SERVICES®

With our exclusive Project Services program, you are matched with a personal Project Consultant who will help guide you through your project and assist you with obtaining an EP Henry Authorized Hardscaping Contractor® from our network of trained professionals. Our consultants make the process easy and stress-free by matching you with professionals that best suit the scope of your project.

QUALITY FOR LIFE WARRANTY

We know that your dream project is an important long-term investment meant to enhance the quality of your life and improve the value of your property. That's why we engineer our products to stand the test of time and back them with a warranty that sets the bar within our industry. When you choose EP Henry, you can make your decision with confidence knowing that our 115 year old company has your back. For more information on our warranty coverage, please visit page 143 in this catalog.









Premiere Paver Collection







BRISTOL STONE®





Avalon Blend





Golden Dakota







Pewter Blend 16 ‡









ENLARGED SWATCHES ON PAGES 122-123

Blue Spruce

‡ AVAILABLE IN 31/8"

* PREMIUM COLOR









These units are 2%" thick and are not suitable for vehicular use.







CUBE 1: 31/8"





CUBE 1	Α	В	С
SIZE (WxL)	7¾" x 7¾"	7¾" x 11¾"	11¾" x 11¾"
PCS PER CUBE	40	80	40
SQ FT PER CUBE		107	
LBS PER CUBE		3,150	

CUBE 2	D	E	F
SIZE (WxL)	11¾" x 15¾"	15%" x 15%"	15%" x 19%"
PCS PER CUBE	20	20	20
SQ FT PER CUBE		102	
LBS PER CUBE		2,900	
			İ

SIZE (WxL) 11¾" x 11¾" 7¾" x 7¾" 7¾" x 11¾" PCS PER CUBE 64 32 SQ FT PER CUBE 85.6 LBS PER CUBE 3,161




These units are 31/8" thick and are suitable for vehicular use. See notation for available colors.





BRISTOL STONE® SMOOTH





















Sonoran* ‡



Avalon Blend ‡

Golden Dakota

Golden Maple

Harvest Blend 16

Pewter Blend 16 ‡

All units are 2%" thick.

Phoenix *

Sedona*


Tucson*

ENLARGED SWATCHES ON PAGES 124-125

‡ AVAILABLE IN 16" X 24"

* PREMIUM COLOR















CUBE 1	Α	В	С
SIZE (WxL)	7¾" x 7¾"	7¾" x 11¾"	11¾" x 11¾"
PCS PER CUBE	40	80	40
SF PER CUBE		107	
LBS PER CUBE		3,150	

CUBE 2	D	E	F
SIZE (WXL)	11¾" x 15½"	15%" x 15%"	15%" x 19%"
PCS PER CUBE	20	20	20
SF PER CUBE		102	
LBS PER CUBE		2.900	

G
15%" x 23%"
40
102.8
2,856




NEW! Bristol Stone Smooth is now available in a 6x9 Border Unit in Brown, Charcoal, Goldenrod, Pewter Blend 16, and Sonoran. Please reference the 6x9 Coventry Stone on p.61 for cubing information.







CHISELED STONE™



ENLARGED SWATCHES ON PAGES 126-127

- AVAILABLE IN ALL SIZES —

Slate Blue

All units are 2%" thick.



Brown ‡

— ‡ ONLY AVAILABLE FOR CUBE 3 (6X9) —



Goldenrod ‡





Pearl

CUBE 1	Α	В	С
SIZE (WxL)	7¾" x 7¾"	7¾" x 11¾"	11¾" x 11¾"
PCS PER CUBE	40	80	40
SQ FT PER CUBE		107	
IRS PER CURE		3 150	



Pewter Blend 16





Slate Green

Phoenix*



Sedona*



— *WITH COLORTECH™ TECHNOLOGY - AVAILABLE IN ALL SIZES ———



Sonoran*

CUBE 1	Α	В	С
SIZE (WxL)	7¾" x 7¾"	7¾" x 11¾"	11¾" x 11¾"
PCS PER CUBE	40	80	40
SQ FT PER CUBE		107	
LBS PER CUBE		3,150	

CUBE 2	D	E	F
SIZE (WxL)	11¾" x 15%"	15%" x 15%"	15%" x 19%"
PCS PER CUBE	20	20	20
SQ FT PER CUBE		102	
LBS PER CUBE		2,900	

CUBE 3	G (6X9)
SIZE (WxL)	61/4" x 97/16"
PCS PER CUBE	300
SQ FT PER CUBE	124
LBS PER CUBE	3,377

Not suitable for vehicular use. _



For vehicular use.



Avalon Blend ‡



DEVONSTONE® SAW CUT











Bluestone

Blue Pennsylvania Bluestone

Brownstone

Green Pennsylvania Bluestone

ENLARGED SWATCHES ON PAGES 128

All units are 15%" thick.













NOTES

- EP Henry offers a "Patio on a Pallet" in Bluestone (100 SF includes all 6 sizes)
- Circle & Square-Off Kits only available in Bluestone
- Each Circle Pallet makes a nominal 9' diameter circle
- One Square-Off Kit extends the circle to a nominal 10'x10' area

	A	В	С	D	E	F	CIRCLE	SQUARE OFF
SIZE (WxL)	12" x 12"	12" x 18"	12" x 24"	18" x 18"	18" x 24"	24" x 24"	_	_
SF PER PIECE	1	1.5	2	2.25	3	4	_	_
SF PER CUBE	88	132	176	99	132	176	64	72 (2 KITS)
LBS PER SF	19	19	19	19	19	19	19	19
LBS PER CUBE	1,722	2,558	3,394	1,931	2,558	3,394	1,266	1,418





LASTRA 20mm PORCELAIN TILES









AXI Grey Timber



Marvel Pro Statuario Select



Rome Greige



Rome Grey



Rome Sand



Rome Silver

ENLARGED SWATCHES ON PAGE 129

COLOR DISCLAIMER

By the nature of the manufacturing process, Lastra Porcelain Tiles tend to have a much wider range of colors in some styles than typically found in pavers. Please visit your EP Henry Authorized Hardscaping Distributor® to view samples and obtain color swatches depicting more range.




SIZE (WxL)	235/8" x 235/8"
SF PER PIECE	4
SF PER CUBE	240
PCS PER CUBE	60
LBS PER PIECE	36.4
LBS PER CUBE	2,184





Classic Paver Collection



BRICK STONE















Autumn Blend 16

Brown

Charcoal

Dakota Bend

Harvest Blend 16

Pewter Blend 16

COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping $\mathsf{Distributor}^{\otimes}$ or ask your contractor for samples before making a final decision.




This unit is 23/8" thick.

Available in 31/8" thickness by special order.

SIZE (WxL)	3 ¹⁵ / ₁₆ " x 7 ⁷ / ₈ "
PCS PER SF	4.5
SF PER CUBE	120
SF PER BAND	20
LBS PER CUBE	3,207

DANBURY®







SIZE (WxL)	4" x 12"
SF PER CUBE	83
LBS PER SF	35
LBS PER CUBE	2,905

COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.

Avalon Blend

ENLARGED SWATCH ON PAGE 132




DANBURY® SMOOTH PLANK



Pewter Blend 16

ENLARGED SWATCH ON PAGE 132









FORMA™ STONE







Sand

vn Charcoal

ENLARGED SWATCHES ON PAGE 132


All units are 23%" thick.

A B C D

SIZE (WxL) 51/2" x 61/4" 51/2" x 7 7/8" 51/2" x 93/8" 51/2" x 11

SF PER CUBE 106

LBS PER CUBE 2,780





OLD TOWNE COBBLE®





Autumn Blend 16



Avalon Blend



Brown*



Charcoal



Dakota Blend





Harvest Blend 16

SIZE (WxL)

PCS PER SF

SF PER CUBE

SF PER BAND

LBS PER CUBE 3,198

Pewter Blend 16

ENLARGED SWATCHES ON PAGE 131

* AVAILABLE IN 6" x 9" ONLY

All units are 23/8" thick.					
CIRCLE	A	В	С	D	E
SIZE (WxL)	31/16" x 61/4"	31/16" x 61/4"	4 ¹¹ / ₁₆ " x 6 ¹ / ₄ "	5³/8" x 6¹/4"	7 ³ /8" x 6 ¹ / ₄ "
SF PER CUBE			86		
LBS PER CUBE			2,388		



- Circle Pallets available in Autumn Blend 16, Charcoal,
 Dakota Blend, Harvest Blend 16, and Pewter Blend 16
- 6" x 9" and 6" x 6" available in 3% thickness by special order




SQUARES

61/4" x 61/4"

3.7

113

16



3,479



VILLAGE SQUARE®











Autumn Blend 16

Dakota Blend

Harvest Blend 16

Pewter Blend 16


COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor or ask your contractor for samples before making a final decision.

All units are 23/8" thick.			
	Α	В	С
SIZE (WxL)	51/8" x 51/8"	5 ³ / ₄ " x 11 ¹³ / ₁₆ "	11 ¹³ / ₁₆ " x 11 ¹³ / ₁₆ "
PCS PER SF	4.13	2.06	1.03
SF PER CUBE	102	116	116
SF PER BAND	14.6	29	29
LBS PER CUBE	2,846	3,323	3,251



Aged Paver Collection



COVENTRY® STONE I





*AVAILABLE IN 6" x 9" ONLY

ENLARGED SWATCHES ON PAGE 130

All units are 2¾" thick.					
CIRCLE	Α	В	С	D	E
SIZE (WxL)	31/16" x 61/4"	3½16" x 6½"	411/16" x 61/4"	5 ³ / ₈ " x 6 ¹ / ₄ "	7 ³ /8" x 6 ¹ / ₄ "
SF PER CUBE			86		
LBS PER CUBE			2,371		

NOTES


- Circle Pallets available in Autumn Blend 16, Charcoal, Dakota Blend, Harvest Blend 16 and Pewter Blend 16.
- + 6" x 9" and 6" x 6" available in 3% thickness by special order.





	SQUARES	RECTANGLES
SIZE (WxL)	61/4" x 61/4"	61/4" x 97/16"
PCS PER SF	3.7	2.4
SF PER CUBE	113	124
SF PER BAND	16	25
LBS PER CUBE	3,139	3,331

COVENTRY® BRICK STONE





This	unit is
2¾"	thick.

Autumn Blend 16

SIZE (WxL)	$3^{15}/_{16}$ " x $7^{7}/_{8}$ "
PCS PER SF	4.5
SF PER CUBE	120
LBS PER SF	20
LBS PER CUBE	3,145

Dakota Blend

COLOR DISCLAIMER

Harvest Blend 16

Haddon Blend


Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.

Pewter Blend 16

Strasburg Red

Charcoal

SOCIETY HILL BRICK STONE™



NOTE

Due to its ridges and textured surface, Society Hill Brick Stone is more prone than a smooth surface paver to be affected by polyhaze. Please be sure to adhere to the polymeric sand manufacturer's installation instructions. EP Henry recommends the use of HP NextGel polymeric joint sand (see p. 138).

SIZE (WxL)	4½16" x 8½8"
PCS PER SF	4.25
SF PER CUBE	105
LBS PER CUBE	2,760



This unit is 2%" thick.



Chalfont Gray



Colonial Red




Penbrook Brown

ENLARGED SWATCHES ON PAGE 132







ECO[™] Collection



ECO™ PAVER





This unit is 31/8" thick.



SIZE (WxL)	6³/4" x 9¹/8"
PCS PER SF	2.3
SF PER CUBE	86
LBS PER SF	34
LBS PER CUBE	2,950







Also available in an SRI compliant color for LEED credit by special order.




ECO™ COBBLE®









Dakota Blend

Harvest Blend 16

Pewter Blend 16

Permeable Interlocking Paving Systems (PICP'S)

- Allow rainwater to recharge into the soil
- Qualify as a Best Management Practice (BMP) for stormwater management.
- Earn points towards LEED $\!^{\scriptscriptstyle{(\!0\!)}}$ certification.

EP Henry recommends consulting a professional engineer for permeable pavement applications.





All units are 23%" thick.*


*Available in 3% " thickness by special order


	Α	В
SIZE (WxL)	61/4" x 61/4"	61/4" x 97/16"
PCS PER SF	3.7	2.4
SF PER CUBE	94.5	102
SF PER BAND	13.5	20.4
LBS PER CUBE	2,500	2,800


COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.









ECO™ DETAILS

Before undertaking a permeable pavement installation, it's important to choose the construction detail that's appropriate for your soil type and design requirements.

Determining the on-site underlying soil type (clay, silt, sand) is the first step in choosing the construction detail that's appropriate for your project. Although the surface infiltration rates of EP Henry's ECO™ line of permeable pavers are extremely high, the infiltration rates of the underlying soils determine how quickly captured water will infiltrate into the ground.

Ideally, the quantity of water that enters a permeable paver system should infiltrate/exfiltrate your permeable paver system within 24-48 hours. However, it's possible that your underlying soils cannot absorb water rapidly enough due to the composition of the soil. In cases where your soil cannot absorb the water received in a given precipitation event within 24-48 hours, conveyance movement via drainage pipes to additional storage or infiltration areas may be appropriate.

In basic terms, clay can absorb the least amount of water, and sand can absorb the most. It is important to note that when using the Partial or No Infiltration construction details, a drainage pipe is specified which must have positive flow away from the aggregate base. This drainage pipe can be directed to auxiliary on-site infiltration trenches, rain gardens, bio-swales, detention basins, or nearby storm pipes. Municipal approval is required for any stormwater "tie-ins."

NOTE

2%" (60mm) thick pavers may be used in pedestrian applications. No. 2 stone subbase thickness varies with design. Consult ICPI's permeable interlocking concrete pavement manual for charts.

TURF PAVER






SIZE (WxL)	15³/4" x 23 ⁷ /16"
PCS PER SF	.38
SF PER CUBE	73
PCS PER CUBE	28
LBS PER CUBE	1,678
LBS PER PIECE	60
% OPEN AREA	40

NOTE:


Turf Paver units should be spaced 1/8" apart, installed with core marks up and are not recommended for vehicular traffic. For frequently traveled vehicular areas, ECO[™] Cobble[®] and ECO[™] Pavers are the recommended permeable pavement solutions.

EP Henry recommends consulting a Professional Engineer for commercial applications.





MONOSLAB





SIZE (WxL)	155/8" x 23 ½"
PCS PER SF	.37
SF PER CUBE	112
PCS PER CUBE	42
LBS PER CUBE	4,219
LBS PER PIECE	101
% OPEN AREA	14

NOTE


A minimum of 8" of compacted aggregate base is recommended for emergency fire lanes as defined by AASHTO, H20, and HS20. Thicker bases may be required for heavy loading or poor subgrade conditions.









Cast Stone Wall Collection









CAST STONE WALL

Walls are a wonderful way to add beauty and dimension to any outdoor living space. EP Henry's patented Cast Stone Wall Collection truly replicates the beauty of natural stone. While it has a premium look, our Cast Stone Walls are typically much more affordable than natural stone walls. If you're looking to add the look of natural stone to your yard, no other wall product on the market comes closer.



SINGLE SIDED CAST STONE WALL







Aspen







NOTES

• Maximum unreinforced wall height is 30"

Adirondack

- Depth will vary due to the random thickness of the face shell
- Cube weight may vary +/- 3 lbs
- Each Single Sided Cast Stone Wall unit is .67 square face feet

Single Sided Cast Stone Wall comes in 2 cube configurations: Single Sided Cast Stone Wall Full Face contains all straight 6x16 faces and Single Sided Cast Stone Wall Random Face contains a mix of random joint faces. You can mix the two cubes to achieve additional appearances.

All units are 6" high.



Breckenridge

ENLARGED SWATCHES ON PAGE 121. SEE PAGE 76 FOR CAST STONE WALL FACE SHELLS.



	STRETCHER	REDUCED QTY. PALLET	CORNER
SIZE (LxD)	16" x 12"	16" x 12"	16" x 8"
SF PER CUBE	40	24	16
PCS PER CUBE	60	36	24
LBS PER PIECE	50	50	34
LBS PER CUBE	3,000	1,800	850



DOUBLE SIDED CAST STONE WALL













Durango

Adirondack

Double Sided Cast Stone Wall is available in Random Face (all sizes) and Full Face (Reduced Qty Pallet only) and is intended for double sided wall applications only.

ENLARGED SWATCHES ON PAGE 121. SEE PAGE 76 FOR CAST STONE WALL FACE SHELLS.

Breckenridge









Aspen

D/S CAST STONE WALL	Α	В	С	REDUCED QTY. PALLET
SIZE (LxD)	6" x 7"±	10" x 7"±	16" x 7"±	16" x 7"±
SF PER CUBE	9		30	15
PCS PER CUBE	27	27	90	45
LBS PER PIECE	12	22	39	39
LBS PER CUBE	932		3,444	1,728

A & B Stretchers sold together in one cube.

A + B = 2-Piece Corner Unit



D/S CAST STONE

Birch





ST	STONE	WALL	

115/8" x 155/8"

72

56

93.75

4,032


SIZE (LxD)
PCS PER CU
LF PER CUBE
LBS PER PC
LBS PER CUBE

OTES	
------	--

- 6" unit = .25 sf 10" unit = .42 sf
- Maximum unreinforced wall height for free-standing walls is 30"

 $[\]pm$ Depth will vary due to the random thickness of the shell.

CAST STONE WALL FACE SHELLS & FIRE PIT KIT













Adirondack Aspen

Birch

Breckenridge

Durango





	STRETCHER	CORNER	FIRE PIT KIT
SF PER HANDY PACK	12	8 LF	-
PCS PER HANDY PACK	18	_	27/EA 10" & 6" UNITS
LBS PER PIECE	6.6	_	22/12
LBS PER HANDY PACK	119*	110*	1,126


*Cube weight may vary +/- 3 lbs.


NOTE

Face Shells available in Full and Random Face.




CAST STONE WALL CAPS









Brownstone Limestone

These units are 2" high.

16" DOUBLE SIDED

DEVONSTONE

SIZE (LxD)

PCS PER CUBE

LF PER CUBE

LBS PER PIECE

LBS PER CUBE



241/4/211/4 x 16"

CAP

32

60

56

1,810



53

850

WELDOW.	
N. C.	

END CAP
20/181/4 x 16"
16
25.5

This unit is 2" high.

14" DOUBLE SIDED DEVONSTONE
36" x 14"

	DEVONSTONE
SIZE (LxD)	36" x 14"
PCS PER CUBE	18
LBS PER PIECE	80
LBS PER CUBE	1,450



	PIER CAPS	•
SIZE (LxD)	28" x 28"	26" x 26"
PCS PER CUBE	4	4
LBS PER PIECE	175	150
LBS PER CUBE	700	600

Garden Wall Collection

COVENTRY® GARDEN WALL









Harvest Blend







	RECTANGULAR	TAPERED
SIZE (LxD)	11 ⁵ /8" x 8"	11 ⁵ / ₈ /9" x 8"
LBS PER PIECE	29	25
LBS PER CUBE	3,468	3,046
PCS PER SF	3	3
SF PER CUBE	40	40
PCS PER CUBE	120	120

FORMULAS/NOTES

- 3 pieces = 1 SF of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum wall height = 20" (5 courses) under ideal conditions
- This wall system is not designed to build 90° corners

Dakota Bend

ENGLISH GARDEN WALL



FORMULAS/NOTES

- 3 pieces = 1 SF of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum wall height = 20" (5 courses) under ideal conditions
- This wall system is not designed to build 90° corners
- This product is designed for planter and garden wall applications only

All units are 4" high.





	RECTANGULAR	TAPERED
SIZE (LxD)	115/8" x 8"	11 ⁵ / ₈ /9" x 8"
LBS PER PIECE	29	26
LBS PER CUBE	3,518	3,129
PCS PER SF	3	3
SF PER CUBE	40	40
PCS PER CUBE	120	120








Gray

Harvest Blend





Mid-Height Wall Collection



COVENTRY® WALL







Dakota Blend





Pewter Blend

18/17" X 10"

45

86

3,870

SEE PAGE 109 FOR CAP OPTIONS.


BASE BLOCK SIZE (LxD)

PCS PER CUBE

LBS PER PIECE

LBS PER CUBE

Units shown: 6" high Available in 3" height				Way)	William
PALLET WITH 5 LENGTHS	Α	В	С	D	E
SIZE (LxD)	4" x 8"	6" x 8"	10" x 8"	12" x 8"	16" x 8"
SF PER CUBE			50		
LBS PER CUBE		6"	° = 4,172 3°° =	4,285	



Autumn Blend

COVENTRY		
CORNERS	3"	6"
SIZE (LxD)	14" x 8"	14" x 8"
PCS PER SF	3.45	1.7
SF PER CUBE	43.5	44
PCS PER CUBE	150	75
LBS PER PIECE	26	51
LBS PER CUBE	3,942	3,829



16" STRETCHER PALLET*	3"	6"
SIZE (LxD)	16" x 8"	16" x 8"
PCS PER SF	3	1.5
SF PER CUBE	50	50
PCS PER CUBE	150	75
LBS PER PIECE	30	57
LBS PER CUBE	4,567	4,308

3 "	6"
16" x 8"	16" x 8"
3	1.5
50	50
150	75
30	57
4,567	4,308
	16" x 8" 3 50 150 30

*16" Stretcher Pallet consists of all solid stretchers. No pins used in this cube.

FORMULAS/NOTES

- Pin calculator: (# of non-cap courses) (one) x (linear feet of wall)
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced wall height is 20". Geogrid is required above this height
- · The Base Block facilitates installation and provides structural stability
- Coventry Wall also available in a free-standing wall system (see p.90)

COVENTRY® WALL III







Dakota Blend

Harvest Blend

Pewter Blend

ENLARGED SWATCHES ON PAGE 136. SEE PAGE 109 FOR CAP OPTIONS.

Units shown: 6" high. Also Available in 3" height.









6" OR 3" HIGH CUBE	A	В	С
SIZE (LxD)	8/6" x 10"	10/8" x 10"	16/14" x 10"
SF PER CUBE		32	
LBS PER CUBE	3" :	= 3,336 6" = 3,2	23

NOTES

- Maximum unreinforced wall height is 24" for retaining wall applications and 33" for free-standing walls
- Coventry Wall III comes with splittable units to create corners Approximately 50% of the units in the cube will be splittable
- Two pins/block needed (except under cap)
- For Coventry Wall III, the tightest radius possible using only the 10" and 6" $\,$ long units is 33.5". Using all sizes, the tightest possible radius is 48" to the back of the block

This unit



CORNERS	3"	6"
SIZE (LxD)	16" x 10"	16" x 10"
PCS PER SF	3	1.5
SF PER CUBE	40	40
PCS PER CUBE	120	60
LBS PER PIECE	38	74
LBS PER CUBE	4,516	4,426

This unit is 6" high.



BASE BLOCK	
SIZE (LxD)	18/17" X 10"
PCS PER CUBE	45
LBS PER PIECE	86
LBS PER CUBE	3,870

CAN BE USED IN SINGLE SIDED OR DOUBLE SIDED WALL APPLICATIONS

TUDOR WALL







Dakota Blend






Harvest Blend **Pewter Blend**

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 109 FOR CAP OPTIONS.

Units shown: 3" high Available in 6" height					
PALLET WITH 5 LENGTHS	Α	В	С	D	E
SIZE (LxD)	4" x 8"	6" x 8"	10" x 8"	12" x 8"	16" x 8"
SF PER CUBE			50		
LBS PER CUBE		6'	" = 4,172 3" = 4,2	185	





CORNERS	3"	6"
SIZE (LxD)	14" x 8"	14" x 8"
PCS PER SF	3.45	1.71
SF PER CUBE	43.5	44
PCS PER CUBE	150	75
LBS PER PIECE	26	51
LBS PER CUBE	3,942	3,829



	407	
16" STRETCHER PALLET*	3"	6"
SIZE (LxD)	16" x 8"	16" x 8"
PCS PER SF	3	1.5
SF PER CUBE	50	50
PCS PER CUBE	150	75
LBS PER PIECE	31	57
LBS PER CUBE	4,567	4,308

	•
BASE BLOCK	
SIZE (LxD)	18/17" X 10"
PCS PER CUBE	45
LBS PER PIECE	86
LBS PER CUBE	3,870

*16" Stretcher Pallet consists of all solid stretchers. No pins used in this cube.

NOTES

- Pin calculator: (# of non-cap courses) (one) x (linear feet of wall)
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced wall height is 20". Geogrid is required above this height
- The Base Block facilitates installation and provides structural stability
- Tudor Wall also available in a free-standing wall system (see p.91)



TERRACE WALL™











Autumn Blend

Dakota Blend

Harvest Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 109 FOR CAP OPTIONS.

FORMULAS/NOTES

- 1.5 pieces = 1 sf of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum unreinforced wall height = 30" under ideal conditions
- Geogrid must be used for walls above 30"

Many of EP Henry's products are created using a blend of several fine pigments and it is normal to find a range of color(s) most predominant from unit to unit. For best dispersion and to achieve a natural range of the colors throughout your project, be sure to draw from multiple cubes as you install.

These units are 6" high.





TERRACE WALL	STRETCHER	CORNER
SIZE (LxD)	16" x 12"	16" x 8"
PCS PER SF	1.5	1.5
SF PER CUBE	48	72
PCS PER CUBE	72	108
LBS PER PIECE	51	45
LBS PER CUBE	3,665	4,838





Retaining Wall Collection



COVENTRY® WALL PLUS







Dakota Blend

Harvest Blend

ENLARGED SWATCHES ON PAGE 136. SEE PAGE 109 FOR CAP OPTIONS.

All units shown are 7" high. Also available in 3½" height.





7" OR 3½" PALLET WITH 2 LENGTHS	A	В
SIZE (LxD)	6" x 12"	12/8" x 12"
SF PER CUBE	35	
LBS PER CUBE	7" = 3,635	31/2" = 4,066



7" OR 31/2" STRETCHER PALLET

SIZE (LXD)	18/14 X	12
SF PER CUBE	42	
LBS PER CUBE	7" = 4,116	31/2" = 5,017



7" CUBE 3	CORNER
SIZE (LxD)	18" x 9"
SF PER CUBE	35
LBS PER CUBE	2,760

FORMULAS/NOTES

- Pin calculator: 3 pins/sq ft
- Minimum inside radius using all three sizes = 34"
- Minimum inside radius using all 6" and 12" units = 40"
- Minimum inside radius alternating one 6" and two 12" units = 31"
- Maximum unreinforced height = 31 ½" under ideal conditions.
- Always use Coventry Plus pins

$MESA^{\mathbb{R}}$





Dakota Blend








Harvest Blend **Pewter Blend**

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 109 FOR CAP OPTIONS.

These units are 8" high.





FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 55" (measured from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Mesa Geogrid must be used in walls over 32" high
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer
- Two connectors/block needed (except under cap)

DIAMOND PROT





Dakota Blend





Harvest Blend Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 109 FOR CAP OPTIONS.

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Geogrid must be used in walls over 32" high.
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer

These units are 8" high





	STRETCHER	CORNER
SIZE (LxD)	18" x 11½"	18" x 9"
PCS PER SF	1	1
SF PER CUBE	48	60
PCS PER CUBE	48	60
LBS PER PIECE	80	84
LBS PER CUBE	3,840	5,010



VERTICA™

Vertica is also available in 12" D unit with 4° batter by special order

Available in Stone Cut Finish by special order.



These units

are 8" high

LBS PER CUBE





Dakota Blend Harvest Blend

Pewter Blend

ENLARGED SWATCHES ON PAGE 137. SEE PAGE 109 FOR CAP OPTIONS.

3,936

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 69" (from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Geogrid must be used in walls over 32" high
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer


2° batter





5,010

STRETCHER CORNER SIZE (LxD) 18" x 9" 18" x 11" PCS PER SF 1 1 SF PER CUBE 48 60 PCS PER CUBE 48 60 LBS PER PIECE 82 84



Free-Standing Wall Collection

DOUBLE SIDED COVENTRY® WALL





ENLARGED SWATCHES ON PAGE 137.

Autumn Blend

SEE PAGE 109 FOR CAP OPTIONS.

Dakota Blend



Harvest Blend



Pewter Blend

Units shown: 6" high. Also available in 3" height.









Walley Street San	
400	

6" OR 3" CUBE	A	В	С	D	E
		_	-		_
SIZE (LxD)	4" x 10"	7 ³ / ₄ / 5 ³ / ₄ " x 10"	93/4 / 73/4" >	(10" 11 ³ / ₄ / 9 ³ / ₄ " x 10"	16/14" x 10"
SF PER CUBE			40		
LBS PER CUBE		6" = 4,2	288 3"	' = 4,457	

FORMULAS/NOTES

- Pin calculator: (# of non-cap courses) (one) x (linear feet of wall)
- Minimum inside radius = 42" (from back of block)
- Maximum height for Double Sided Coventry Wall in free-standing applications without engineering assistance is 33" including cap. Seek a Professional Engineer if a taller wall is required
- * The Base Block facilitates installation and provides structural stability



Unit shown: 6" high Also available in 3" height.

This unit is 6" high.



BASE BLOCK*

SIZE (LxD)	18/17" x 10"
PCS PER SF	45
SF PER CUBE	86
LBS PER CUBE	3.870

CORNER	6"	3"
SIZE (LxD)	16" x 10"	16" x 10"
PCS PER SF	1.5	3
SF PER CUBE	40	40
PCS PER CUBE	60	120
LBS PER PIECE	74	38
LBS PER CUBE	4.426	4.516

DOUBLE SIDED TUDOR WALL











ENLARGED SWATCHES ON PAGE 137.

SEE PAGE 109 FOR CAP OPTIONS.

Pewter Blend

Units shown: 3" high Also available in 3" height.





Autumn Blend



Dakota Blend







3"OR 6" CUBE

SIZE (LxD) 4" x 10"

7³/₄ / 5³/₄" x 10"

11³/₄ / 9³/₄" x 10"

16/14" x 10"

SF PER CUBE 40

9³/₄ / 7³/₄" x 10"

LBS PER CUBE 3" = 4,457 6" = 4,288

FORMULAS/NOTES

SIZE (LxD) 18/17" x 10 PCS PER SF 45 SF PER CUBE 86 LBS PER CUBE 3,870



Units shown: 3" high Available in 6" height.

- CORNER 6" 3" SIZE (LxD) 16" x 10" 16" x 10" PCS PER SF 1.5 3 SF PER CUBE 40 40 PCS PER CUBE 120 60 LBS PER PIECE 74 38 LBS PER CUBE 4,440 4,590
- Pin calculator: (# of non-cap courses) (one) x (linear feet of wall)

Harvest Blend

- Minimum inside radius = 42" (from back of block)
- Maximum height for Double Sided Tudor Wall in free-standing applications without engineering assistance is 33" including cap. Seek a Professional Engineer if a taller wall is required

This unit is

BASE BLOCK*

6" high.


* The Base Block facilitates installation and provides structural stability.







Imperial Paver Collection



NEW RITTENHOUSE™









Charlevoix



Driftwood



Chestnut Earth ENLARGED SWATCHES ON PAGES 133.

Units shown 23/8" thick. RITTENHOUSE CUBE 1 8 ³/₄" x 8 ³/₄" SIZE (WxL) 8 ³/₄" x 4 ³/₈" 8 ³/₄" x 13 ³/₁₆" PCS PER CUBE 120 60 50 SF PER CUBE 107.7 LBS PER CUBE 3,150



IMPERIAL 3 PIECE MODULAR











Chestnut - Standard Finish

Earth - Standard Finish

Chestnut - Rustic Finish

Earth - Rustic Finish

ENLARGED SWATCHES ON PAGES 133.

Units shown 23/8" thick in Standard Finish.









STANDARD	OR	RUSTIC
CIIDE 1		

CUBE 1	Α	В	С
SIZE (WxL)	31/8" x 61/4"	61/4" x 61/4"	6½" x 93/8"
PCS PER CUBE	60	120	180
SF PER CUBE		113	
LBS PER CUBE		3,115	

STANDARD OR RUSTIC CUBE 2

Unit shown 23/8" thick

in Standard Finish.

SIZE (WxL)	9 ³ /8" x 9 ³ /8"
PCS PER CUBE	200
SF PER CUBE	122
LBS PER CUBE	3,351



IMPERIAL COBBLE STONE











Charcoal





Driftwood



ENLARGED SWATCHES ON PAGE133.

AVAILABLE IN 6X9 ONLY

All units are 2%" thick.



Earth



SIZE (WxL)	61/4" x 61/4"	6½" x 9½16"
PCS PER SF	3.7	2.4
SF PER CUBE	113	124
SF PER BAND	16	25
LBS PER CUBE	3,164	3,472

NOTE

 $6\text{"x}\ 6\text{"}$ and $6\text{"x}\ 9\text{"}$ are also available in 3 $1\!\!/\!\! s\text{"}$ thickness as a special order.

IMPERIAL RUSTIC COBBLE STONE











*AVAILABLE IN 6" X 9" ONLY

ENLARGED SWATCHES ON PAGES 134.

COLOR DISCLAIMER

Because EP Henry Pavers are made from natural materials, variations in shade can be expected. To ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.





Earth




Granite

SIZE (WxL)	61/4" x 61/4"	61/4" x 97/16"
PIECES PER SF	3.7	2.4
SF PER CUBE	113	124
SF PER BAND	16	25
LBS PER CUBE	3,164	3,472



IMPERIAL BULLNOSE





23/8" thick.


	SIZE (WxL)	6" x 12½"
	PIECES PER SF	1.92
	SF PER CUBE	87
;	PCS PER CUBE	168
	LBS PER CUBE	2,436







Imperial Wall Collection





RUSTIC DOUBLE FACE WALL









ENLARGED SWATCHES ON PAGE 135.

This unit are 3" high.



3" CAP	
SIZE (LxD)	16/14" x 11 ⁵ /8"
PCS PER SF	3.2
SF PER CUBE	30
PCS PER CUBE	96
LBS PER PIECE	45
LBS PER CUBE	4.320

These units are 6" high.				
6" OR 3" HIGH	A	В		С
SIZE (LxD)	5¾"/3¾" x 10"	9¾"/7¾" x	10"	16/14" x 10"
SF PER CUBE		40		
LBS PER CUBE	6"	= 4,228	3" = 4,45	7

NOTES/FORMULAS

- Pin calculator: (# on non-cap course) (one) x (linear feet of wall)
- Minimum Inside radius = 42" (from back of block)
- Maximum height without engineering: 33" including cap. Above 33" EP Henry recommends you consult a professional engineer
- The Base Block facilitates installation and provides structural stability (see pg. 90 for Base Block specifications)
- Always use Coventry Wall pins









Granite

WALL CORNERS	6" DOUBLE SIDED	6" SINGLE SIDED COLUMN	3" DOUBLE SIDED
SIZE (LxD)	16" x 10"	14" x 8"	16" x 10"
PCS PER SF	1.5	1.7	3
SF PER CUBE	40	44	40
PCS PER CUBE	60	75	120
LBS PER PIECE	74	51	38
LBS PER CUBE	4,440	3,829	4,560



NEW MARQUIS™ WALL













Sandy Beach

Chestnut Driftwood Earth Granite

ENLARGED SWATCHES ON PAGE 135.

These units are 6" high.








	STRETCHER	CORNER	3" UNIVERSAL DOUBLE FACE CAP
SIZE (LxD)	16" x 12"	16" x 8"	16" X 12"
PCS PER SF	1.5	1.5	3
SF PER CUBE	32	72	32
PCS PER CUBE	48	108	96
LBS PER PIECE	75	45	47
LBS PER CUBE	3,685	4,838	4,555

NOTES

Many of EP Henry's products are created using a blend of several fine pigments and it is normal to find a range of color(s) most predominant from unit to unit. For best dispersion and to achieve a natural range of the colors throughout your project, be sure to draw from multiple bands and cubes at a time.

COMPACT FIRE RING KIT

WOODGATE WALL







Chestnut





Granite

Earth

STANDARD FEATURES

- Ready to assemble everything's included!
- No special tools required
- Easy-to-read, step-by-step instructions
- Precut and sized to fit
- · Steel reinforcements
- Includes VOC compliant adhesive and construction gloves

COMPACT FIRE RING WITH GRATE

LBS PER CUBE 700 All units are 4" thick.



SIZE (LxD)	12" x 8"
PCS PER CUBE	144
LBS PER PIECE	30
LBS PER CUBE	4,320



Finishing Touches

BULLNOSE













Pewter Blend 16

All units are 2 %" thick



BULLNOSE

SIZE (WxL)	6" x 12½"
PCS PER SF	1.92
SF PER CUBE	87
PCS PER CUBE	168
LBS PER CUBE	2,305

Brown

Charcoal

Dakota Blend

Harvest Blend 16

104 ephenry.com • Finishing Touches

BORDERS





6 X 9 Chiseled Stone Goldenrod Border with Bristol Stone Sedona



6 X 9 Chiseled Stone Slate Blue Border with Society Hill Brick Stone Penbrook Brown



6 X 9 Chiseled Stone Slate Green (Border and Field)



Society Hill Brick Stone Chalfont Gray Border with Colonial Red


DEVONSTONE® CAPS

14" DOUBLE SIDED DEVONSTONE CAP



16" DOUBLE SIDED DEVONSTONE CAP









AVAILABLE COLOR SELECTION FOR ALL DEVONSTONE CAPS

Brownstone

This unit is 2" high.



14" DOUBLE SIDED

SIZE (LxD)	36" x 14"
PCS PER CUBE	18
LBS PER PIECE	80
LBS PER CUBE	1.450

are 2" high.	See to see the second	THE REAL PROPERTY.
16" DOUBLE SIDED	CAP	END CAP
SIZE (LxD)	241/4/211/4 x 16"	20/18 ¹ / ₄ x 16"
PCS PER CUBE	32	16
LF PER CUBE	60.67	25.5
LBS PER CUBE	1,810	850

DEVONSTONE® CAPS

28" x 28" Devonstone Cap Bluestone; Double Sided Cast Stone Wall Aspen

28"x 28" DEVONSTONE PIER CAP

This unit is 3" high.

PIER CAP

SIZE (LxD)	28" x 28"
PCS PER CUBE	4
LBS PER PIECE	175
LBS PER CUBE	700

26"x 26" DEVONSTONE PIER CAP

This unit is 3" high.



PIER CAP

SIZE (LxD)	26" x 26"
PCS PER CUBE	4
LBS PER PIECE	150
LBS PER CUBE	600





DEVONSTONE GARDEN WALL CAP

This unit is 2" high.




PIER CAP

SIZE (LxD)	18" X 9"
PCS PER CUBE	64
LBS PER PIECE	30
LBS PER CUBE	1,972


CHAPEAU CAPS

CHAPEAU 14



CHAPEAU 16







Brownstone



All units are 3" high.		
CHAPEAU 14	A	B (one straight end)
SIZE (LxD)	24/22" x 14"	24/23" x 14"
LF PER CUBE	53.9	94
PCS PER CUBE	28 (21, A UNIT	S; 7, B UNITS)
LBS PER CUBE	2,27	70

All units are 2%" high.	The state of the s	Charles I	Mann	WINNE WAR
CHAPEAU 16 DOUBLE SIDED	Α	В	С	D (one straight end)
SIZE (LxD)	12/10" x 16"	16/14" x 16"	20/18" x 16"	20/19" x 16"
LF PER CUBE		52	2.8	
PCS PER CUBE		42 (14/EA A&B U	NITS; 7/EA C&D UNITS)	
LBS PER CUBE		1,	870	

SPLIT & AGED CAPS



AGED COVENTRY/SPLIT RECTANGULAR & UNIVERSAL

SPLIT COLORS



Autumn Blend



Charcoal*



Dakota Blend



Harvest Blend



Pewter Blend

Swatches depicted represent color offerings for caps. Please refer to appropriate wall system pages for colors available in each system. Relevant wall systems are on pages 81-91.

ENLARGED SWATCHES ON PAGES 136.

ENLARGED SWATCHES

ON PAGES 137.

AGED COLORS



Autumn Blend



Charcoal*



Dakota Blend



Harvest Blend



Pewter Blend

* Available in caps only.

All units are 4" high



All units are 3" high





All units are 3" high





	VERTICA	DIAMOND PRO/MESA
SIZE (LxD)	18" x 11½"	18" x 12"
PCS PER SF	2	2
SF PER CUBE	36	30
PCS PER CUBE	72	60
LBS PER PIECE	65	72
LBS PER CUBE	4,680	4,317

COVENTRY	R
SIZE (LxD)	16
PCS PER SF	3
SF PER CUBE	32
PCS PER CUBE	96
LBS PER PIECE	47
I BC DED CIIRE	1

COVENTRY	RECTANGULAR	UNIVERSAL
SIZE (LxD)	16" x 12"	16/14" x 11 ⁵ /8"
PCS PER SF	3	3.2
SF PER CUBE	32	30
PCS PER CUBE	96	96
LBS PER PIECE	47	45
LBS PER CUBE	4,491	4,280

SPLIT	RECTANGULAR	UNIVERSAL
SIZE (LxD)	16" x 12"	16/14" x 11 ⁵ / ₈ "
PCS PER SF	3	3.2
SF PER CUBE	32	30
PCS PER CUBE	96	96
LBS PER PIECE	47	44
LBS PER CUBE	4,555	4,177

STEPS


QUARRY STEPS





Bluestone

ENLARGED SWATCHES ON PAGE 128



CHILTON CHISELED STEPS



CHILTON FLAMED STEPS







Bluestone

Brownstone

All units are 6" high		
CHILTON	FLAMED	CHISELED*
SIZE (WxL)	15" x 47½"	15" x 47½"
LBS PER PIECE	233	
LBS PER CUBE	700	
PCS PER CUBE	3	

*Chilton Chiseled Finish Step is available finished on 1 or 3 sides. The 1 sided is available in Bluestone only; the 3 sided is available in Bluestone and Brownstone.

EDGES AND TREADS

DEVONSTONE® STAIR TREAD/CAP







COVENTRY® EDGESTONE





Bluestone



This unit

is 2" high

Brownstone



Autumn Blend







Pewter Blend

ENLARGED SWATCHES ON PAGE 128

Dakota Blend Harvest Blend

This unit is 8" high





DEVONSTONE® STAIR TREAD/CAP
SIZE (LxD) 52" x 13"
PCS PER CUBE 18
LBS PER PIECE 104
LBS PER CUBE 1,872

COVENTRY®	EDGESTONE	CURBSTONE
SIZE (WxL)	2½" x 6"	3³/4" x 8"
PCS PER CUBE	240	150
LBS PER CUBE	2,339	3,000

NOTES

Edgestone width may vary +/- 3%" Curbstone height may vary +/- 1/2"


Fire Pit Kits

NEW

CAST STONE WALL SQUARE FIRE PIT KIT

CAST STONE WALL ROUND FIRE PIT KIT







Adirondack



Aspen



Birch





Breckenridge

Durango

SQUARE

TIKE TIL KIT	
UNITS	-
LBS PER PC	-
PCS PER CUBE	36 block + 4 caps
LBS PER CUBE	1,780

FIRE PIT KIT INCLUDES

- · Wall Blocks
- Caps
- Steel insert
- · Stainless steel flange collar

ROUND FIRE PIT KIT

UNITS	-
LBS PER PC	-
PCS PER CUBE	54 block + 4 caps
LBS PER CUBE	1,126

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.


FIRE PIT KIT INCLUDES

- · Wall Blocks
- Caps
- Copper Bowl
- 36" Diameter Grate for Wood Burning
- 24" Diameter Grate for Cooking
- Retractable Metal Mesh Dome
- Installation Guide

COVENTRY® FIRE PIT KIT

GRAND FIRE RING KIT











Dakota Blend Harvest Blend

Pewter Blend





Pewter Blend

Dakota Blend

Harvest Blend

WOODGATE WALL AND COMPACT FIRE RING ALSO AVAILABLE IN THESE COLORS

COVENTRY FIRE PIT KIT

UNITS	
LBS PER PC	
PCS PER CUBE	112
LBS PER CUBE	2.830

FIRE PIT KIT INCLUDES

- Wall Blocks
- Caps
- · Copper Bowl
- 36" Diameter Grate for Wood Burning
- 24" Diameter Grate for Cooking
- Poker
- Retractable Metal Mesh Dome
- Installation Guide

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.

FIRE RING GRAND WITH GRATE LBS PER CUBE 1,060

STANDARD FEATURES

- Ready to assemble everything's included!
- No special tools required
- Easy-to-read, step-by-step instructions
- Precut and sized to fit
- Includes VOC compliant adhesive and construction gloves
- Solid steel insert and swivel cooking grate

Fireplace Kits

GRAND FIREPLACE KIT

Grand Fireplace Kit Pewter Blend with left and right wood box kits and hearth kit

COMPACT FIREPLACE KIT









Dakota Blend

Harvest Blend

Pewter Blend

At more than eight feet high and up to twelve feet wide (with Wood Boxes), the Grand Fireplace is the perfect centerpiece for your outdoor living room. Its appeal comes from its large profile, universal design, and aged appearance. The Compact Fireplace is ideal for smaller backyards and patios at just over six feet high and three feet wide (without wood box).

STANDARD FEATURES

- Easy-to-read, step-by-step instructions
- Wall Blocks
- · Wet cast concrete mantels and tops
- Precut and sized to fit
- Steel reinforcements
- · VOC compliant adhesive
- Construction Gloves

GRAND FIREPLACE KIT


- 60" W x 36" D x 102" H
- 36" stainless steel, wood-burning insert
- 4' stainless steel stovepipe chimney
- Spark suppressor cap


GRAND WOOD BOX KIT*

- 40" W x 36" D x 50" H
- Available left or right side

GRAND HEARTH KIT*

- 60" W x 20" D x 10" H
- *OPTIONAL







COMPACT FIREPLACE KIT 40" W x 32" D x 70" H Protective fire brick


COMPACT WOOD BOX KIT*
32" W x 32" D x 34" H
Available left or right side

COMPACT HEARTH KIT* 40" W x 12" D x 6" H

*OPTIONAL







ISOKERN FIREPLACES





EARTHCORE ISOKERN MODULAR FIREPLACES

For over 25 years, Earthcore's Isokern Systems have been the leader in safe, lightweight, easy to install fireplace systems and are backed by a Lifetime Warranty against manufacturer defects.



Outdoor Kitchen Collection



ISOPANEL MODULAR KITCHENS

Isokern has streamlined the construction of building the classic culinary outdoor kitchen for quick assembly. Using our Isokern Panels and Clips, building a beautiful, durable and practical outdoor kitchen is easier than ever. The IsoPanels will also support the Iso'ven for added options to construction.



ISOKERN PANELS

- Dimensions per panel: 2'w x 34"h x 3"d
- Each panel weighs only 100 lbs, so they're easily moved when assembling your new outdoor kitchen components.








CLIPS

- Use: Slide the appropriate clip over the junction of 2 adjacent panels for holding them together while the mortar is applied.
- Options: A. Straight B. 90° C. 45° D. T clip.



ISO'VEN WOOD BURNING PIZZA OVENS





ISO'VEN & FP HENRY'S CAST VENEER STONE

There's nothing better than a real wood burning oven. Introducing the Earthcore Iso'ven Wood Burning Oven, the user-friendly, remarkably affordable outdoor wood burning pizza oven made from our exclusive volcanic material. Created for easy installation, the quick-fire Iso'ven heats up to 800 degrees in an hour. The Iso'ven Wood Burning Pizza Oven comes with everything you need to get started. Perfect for 12" pizza, bread, wings and more. Includes: Proprietary Oven Liner, Refractory Mortar, Cooking Surface, Thermometer and Starter Fire Kit.

All Isokern fireplaces, pizza ovens and modular kitchen kits can be made "personally" yours by customizing it with EP Henry's beautiful Cast Veneer Stone or Cast Stone Wall Face Shells, the closest match to real stone, at a fraction of the cost.

SEE PAGE 36 FOR CAST VENEER STONE COLOR AND STYLE OPTIONS



TALBETOP OVEN WITH OPTIONAL STORAGE SPACE

Fires strengthen the bonds between friends and family. Recognizing this, Earthcore developed the ideal companion for your Iso'ven Wood Burning Pizza Oven — our Table Top Oven with Optional Storage Base. Adding a new dimension to backyard dining, it allows you to choose the height of your Iso'ven in relation to the rest of your outdoor kitchen or living space.

OPTIONAL STORAGE:

Ample room for wood, pizza peels, aprons, cooking tools and more.

OPTIONAL HOOD:

Following the classic approach of traditional wood burning ovens, the Iso'ven is designed to vent through the front. But at Earthcore, we believe customization creates satisfaction. So if you prefer a flue, we now offer a hood for Iso'ven designs, giving you the freedom to finish it in your own personal style.


















CREATE THE PERFECT OUTDOOR KITCHEN

PRE-MEASURED-CUT-PACKAGED-KITS

The Kitchen is a series of individual cabinet kits that come complete with everything you need to build, including precut block and granite tops sized to fit, reinforcements, and more! Depending on the complexity, most kitchens can be built in a day or less. Build your kitchen all at once or add new features over time. Because of their modularity, expanding your outdoor cooking and entertaining space is easy to do at any time.



NECESSORIES™ OUTDOOR KITCHEN KITS













Black Pearl

WALL COLOR COLOR OPTIONS

GRANITE COUNTERTOP COLOR OPTIONS


Viscon White


The modular components of our Necessories line allow you to create a custom outdoor living area to fit both your needs and your space.

1. Summerset Sizzler Grill Cabinet. 32" or 40" options. (Shown with 30" Double Door)


Dakota Blend


- 2. Outdoor Refrigerator Cabinet
- 3. Side Burner Cabinet
- 4. Outdoor Oven Cabinet (Pizza Oven with Wood Box)
- 5. Smoker Cabinet (Smoker not included)
- 6. Prep Center Cabinet. Double Drawer and Door Combo with Trash Drawer
- 7. Island Cabinet. 15" Sink and Faucet with Granite Countertops






Pewter Blend












Color Palette






PLEASE SEE PAGES 73-76 FOR COLOR AVAILABILITY BY SPECIFIC PRODUCT.































BRISTOL STONE

Bristol Stone p.45 Bristol Stone Smooth p.47







Chiseled Stone I and II




6 x 9 Chiseled Stone

6 x 9 also available in colors above







NEW Chiseled Stone with ColorTech™












LASTRA PORCELAIN TILE




By the nature of the manufacturing process, Lastra Porcelain Tiles tend to have a much wider range of colors in some styles than typically found in pavers. Please visit your EP Henry Authorized Hardscaping Distributor® to view samples and obtain color swatches depicting more range.



CLASSIC PAVER COLLECTION - SMOOTH



Forma Stone








Society Hill Brick Stone







Danbury®



Danbury® Smooth Plank



NEW Rittenhouse™







Cobble Stone











Rustic Double Face Chestnut

NEW Marquis Wall™







IMPERIAL WALL SYSTEMS


Rustic Double Face p.101 Marquis Wall p.102

Marquis Wall is also available in Chestnut, Earth, and Granite.










COVENTRY WALL SYSTEMS

Coventry Wall p.81 Coventry Wall III p.82 Double Sided Coventry Wall p.90

Please refer to product pages for specific color availability.





Diamond Pro™ p.89 Double Sided Tudor Wall p.91 Mesa® Retaining Wall p.88 Terrace Wall™ p.85 Tudor Wall p.83 Vertica Wall p.89

Please refer to product pages for specific color availability.



ACCESSORIES

EP Henry offers a complete line of cleaning and sealing products from TechniSeal® to maintain the beauty of your pavers.

:: Techniseal

POLYMERIC SAND FOR PAVER JOINTS

HP NEXTGEL™ POLYMERIC SAND

- False and wide joints
- · Heavy-sloped and high-traffic areas
- High-humidity areas and pool decks

SMART SAND

- · New Haze-Free technology
- For concrete paver joints from 1/8" to 1"
- Superior strength
- · Driveways, patios and walkways

CLEANERS

PROFESSIONAL-GRADE OIL & GREASE REMOVER

• Dislodges deeply set petroleum-based products, motor and hydraulic oil

DIRT & GREASE CLEANER

• Removes motor oil and grease

RUST REMOVER

· Removes stains caused by steel, rusted metal objects and fertilizers

PAINT, TAR AND RUBBER REMOVER

• Dissolves paint, tar or bitumen, rubber and chewing gum

ORGANIC STAIN REMOVER

• Effectively removes moss, mildew, dead leaves, wine, blood and non-greasy food stains

PAVER RESTORER

· Removes cement and mortar jointing haze

PAVER PREP / EFFLORESCENCE CLEANER

- Dislodges efflorescence and ground-in dirt
- Prepares pavers prior to sealant application

ECO-STRIPPER

• Removes most stains, sealants and coatings without affecting the surface

SEALERS

NATURAL LOOK MATTE FINISH PENETRATING (IN)

- Preserves the natural look of pavers
- Ideal for slip-prone surfaces

CLEAR LOOK SEMI-GLOSS FINISH (EV)

- · Preserves the original color of pavers
- Ideal for driveways, patios and walkways

COLOR BOOST MATTE FINISH PENETRATING (CB)

- Enhances the color of pavers
- Ideal for slip-prone surfaces

WET LOOK GLOSS FINISH (WLS)

- Enhances the color of pavers
- Ideal for driveways, patios and walkways

SUREFOOT I ANTI-SLIP GRIT FOR WATER-BASED PROTECTORS

- Mixes easily with Protector without changing its appearance
- Highly recommended for pool decks and sloped driveways, steps, low porosity substrates, etc.

NULOOK® TINTED PROTECTOR FOR CONCRETE PAVERS SEMI-GLOSS FINISH

- Colors pavers
- · Water based
- Choice of 4 rich colors

JOINT STABILIZING PROTECTOR (JS) NATURAL LOOK SEMI-GLOSS FINISH

- Preserves the original color of pavers
- Ideal for permeable systems

WR7

EP Henry offers Techniseal WR7 natural look, water-based sealant for concrete retaining walls. It helps prevent efflorescence and damage caused by de-icing salts while preserving the natural look of your wall.

PRODUCTS FOR DEVONSTONE WETCAST SLABS

WET-CAST PAVER PREP

• Prepares wet-cast pavers prior to sealant application

PROTECTOR FOR WET-CAST PAVERS (WC) NATURAL LOOK MATTE FINISH - PENETRATING

• Preserves the natural look of wet-cast pavers

RG+ CONCRETE ADHESIVE

- Low-VOC formula
- Ultra-adherent on dry, wet or frozen surfaces
- Elastomeric resin-based compound remains flexible
- Ideal for the construction of retaining walls

Polymeric Sand Haze

Polymeric Haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not, in any way, affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner. It is advised that you contact your contractor or the manufacturer of the polymeric sand used for advice on recommendations.

EP Henry accepts NO responsibility or liability for this occurrence.

STRUCTURE BOND ADHESIVE

- Super-strength hardscape foam adhesive
- Designed for use with Cast Stone Wall and other wall products
- Precise delivery No mess, no
- 8 minute bond time
- · Adheres to wet masonry products
- Adjustable bead size
- Performs on all construction materials
- Fireproof and waterproof
- One 24 oz. can is equivalent to five 10.5 oz. tubes



SEK SUREBOND

PAVER EDGE RESTRAINT

The purpose of Edge Restraint products is to restrain pavers' lateral motion. Without a proper Edge Restraint System, pavers are prone to shifting. EP Henry offers the Snap Edge Paver Restraint System.

ADVANTAGES OF THE SNAP EDGE RESTRAINT SYSTEM:

- One-piece system does it all: straight. curves, or even a complete radius, without waste
- An 8' piece transports easily and requires no extra connectors
- Open base design allows for grass growth along paver edge, creating a strong yet invisible edge
- Patented snap and spike-together ends for a secure connection and extra support
- Rugged injection-molded plastic ensures the strongest edge designed for vehicular and patio/walkway applications

ADHESIVE

EP Henry offers the following adhesive for wall applications:

SUREBOND PAVER BOND

- · High strength structural grade adhesive
- Durable formula withstands extreme wear and tear, including heavy vehicular traffic
- Sets quickly in only 10 minutes
- Freeze-thaw stable
- Naturally shims

TENCATE MIRAFI

SEPARATION FABRIC

Mirafi® 500x geotextile fabric is recommended for use with all paver installations. Its primary purpose is to keep the base material from working its way into the soil underneath, thus reducing the possibility of settling.

This product, which costs only pennies per square foot, is an inexpensive insurance policy for your pavement.

GEOGRIDS

EP Henry offers the highest quality geogrids for SRW applications.

MIRAFI® GEOGRID

1XL 20 SQUARE YARD	4' X 45'	
2XT 33.3 SQUARE YARD	6' X 50'	
3XT 200 SQUARE YARD	12' X 150'	ROLL
5XT 200 SQUARE YARD	12' X 150'	
8XT 267 SQUARE YARD	12' X 200'	

UX MESA GRID

UX1100 121 SQUARE YARD	4.36' X 250'	
UX1400 121 SQUARE YARD	4.36' X 250'	
UX1500 96.9 SQUARE YARD	4.36' X 200'	ROLL
UX1600 96.9 SQUARE YARD	4.36' X 200'	
UX1700 96.9 SQUARE YARD	4.36' X 200'	

Please note: Mesa UX Grid must be used on all Mesa SRW applications.

STRATA

SLEEVE-IT® SYSTEM

WHEN YOUR WALL NEEDS A FENCE

The Sleeve-It® System is a patented, code-compliant, fence post anchoring system that integrates stable fence footings into the support structure of walls while the retaining wall is being constructed. This unique fence system is pre-engineered and pre-designed so that the usable real estate at the top of a retaining wall is not wasted. Using the system as part of the Segmental Retaining Wall (SRW) eliminates a 3 foot offset requirement for rails and fences that are added after wall construction, reducing specifier liability and associated costs with building-code compliance. Sleeve-It® also offers a below grade engineered design that provides superior safety in a cost-effective solution.

KERR LIGHTING

Create beauty and instill pride of ownership by adding the finishing touch of Kerr Lighting for pavers, retaining & seat walls, pillars & steps and more!

PAVER LIGHTS



BRICK STONE



COVENTRY® STONE I OLD TOWNE COBBLE VILLAGE SQUARE



COVENTRY® STONE I OLD TOWNE COBBLE



LED WALL, STEP & PILLAR LIGHTING

WALLTER™ AND CORNELIUS™ LED WALL, STEP & PILLAR LIGHTING

Wallter and Cornelius Hardscape Lights by Kerr Lighting are designed to blend in with your hardscape design. They provide an unrivaled combination of energy efficiency, durability, and brilliant light quality that you've come to expect from Kerr Lighting. Featuring the latest developments in LED technology, these lights offer an evenly distributed warm-white color, long life for low maintenance costs, and continuous performance under all weather conditions.

The sleek, compact fixtures minimize their impact on your hardscape design. Made from a durable polycarbonate plastic, they will not corrode or weather like other materials. Because the fixtures are seamless, the light beam is controlled with no seepage around the edges. Use Wallter and Cornelius as your solution for a variety of outdoor settings including under wall caps, pillar caps, steps, and outside pillar corners.

AUTHORIZED DISTRIBUTORS

DELAWARE

NEW CASTLE

A. H. Angerstein, Inc.

315 New Road Wilmington, DE 19805 302-996-3500 angersteins.com

Best Materials LLC

5093 Summit Bridge Road Middletown, DE 19709 302-378-1231 bestgardencenterde.com

SUSSEX

Parker Block Co.

30243 Millsboro Highway Millsboro, DE 19966 parkerblock.com

Trenton Block & Hardscape Supply Delaware

701 Federal Street Milton, DE 19968 302-684-0112 mvtrentonblock.com

MARYLAND

ALLEGANY

Eby's Landscape Center

12702 Ali Ghan Road NE Cumberland, MD 21502 301-722-0043 ebylandscapecenter.com

ANNE ARUNDEL

BuilderUp Division Of Chaney Enterprises

2015 Industrial Drive Annapolis, MD 21402 410-257-3400 builderup.com

Ernest Maier

95 Stahl Point Road Curtis Bay, MD 21226 410-424-0954 emcoblock.com

Gomoljak Block/Ernest Maier

1841 McGuckian Street Annapolis, MD 21401 410-263-6744 emcoblock.com

BALTIMORE

Glyndon Gardens

205 Hanover Pike Reisterstown, MD 21136 410-833-2791 glyndongardens.com

Harting and Sons Building Supplies

2917 Hammonds Ferry Road Baltimore, MD 21227 410-242-0260 hartingandsons.com

Wirtz & Daughters Landscape Supply

12140 Pulaski Highway Joppa, MD 21085 410-679-6700 wirtzanddaughters.com

CALVERT

BuilderUp Division Of Chaney Enterprises

1925 Skinners Turn Road Owings, MD 20736 410-257-3400 builderup.com

CARROLL

All Landscape Supply

4321 Bartholow Road Sykesville, MD 21784 410-552-5111

CHARLES

BuilderUp Division Of Chaney Enterprises

12130 Acton Lane Waldorf, MD 20601 410-257-3400 builderup.com

FREDERICK

Frederick Brick Works

1731 Monocacy Boulevard Frederick, MD 21701 301-662-1153

Irwin Stone

275 Interstate Circle Frederick, MD 21704 301-663-6455 irwinstone.com

Gillespie & Sons

100 Dixon Drive Chestertown, MD 21620 410-778-0900 gillespieandson.com

MONTGOMERY

Ernest Maier

14 Chestnut Street Gaithersburg, MD 20877 800-627-8775 emcoblock.com

Jack T. Irwin Stone

601 East Gude Drive Rockville, MD 20850 301-762-5800 irwinstone.com

PRINCE GEORGE'S

Ernest Maier

4700 Annapolis Road Bladensburg, MD 20710 301-927-8300 emcoblock.com

TALBOT

Paul T. Ewing

9353 Ocean Gateway Easton, MD 21601 410-822-3496

WASHINGTON

Sunny Meadows

7437 Sharpsburg Pike Boonsboro, MD 21713 301-432-2327

NEW JERSEY

ATLANTIC

Atlantic Masonry Supply, Inc.

6422 Black Horse Pik Egg Harbor Twp., NJ 08234 609-909-9292 atlanticmasonrynj.com

Site One Landscape Supply

716 White Horse Pike Hammonton, NJ 08037 609-561-1777

Stoneworld Landscape Center

1333 Doughty Road Egg Harbor Twp., NJ 08234 609-646-2200 stoneworldlandscapecenter.com

BERGEN

Bergen Brick, Stone & Tile

685 Wyckoff Avenue Wyckoff, NJ 07481 201-891-3500 bergenbrick.com

Silver Mason Supply

39 West Forest Avenue Englewood, NJ 07631 201-568-1140

Stone Tek

147 5th Avenue Saddle Brook, NJ 07663 973-689-2699

BURLINGTON

Alenco Fence & Supply Co.

167B Route 70 Medford, NJ 08055 609-654-6060 alencofence.com

G. W. Lippincott, Inc.

63 Washington Street Mt. Holly, NJ 08060 609-267-1803 lippincottsupply.net

Herman's Landscape Supply

181 Jacobstown-Cookstown Road Wrightstown, NJ 08562 609-758-3808

Mershon Concrete

5251 US Highway 130 South Bordentown, NJ 08505 609-298-2150 mershonconcrete.com

CAMDEN

Chick's Block Co.

10 N. Lakeview Drive Gibbsboro, NJ 08026 856-783-1786 chicksblockco.com

McNaughton's Garden Center

351 Kresson Road Cherry Hill, NJ 08034

Wharton Landscape Supplies

2324 Columbia Avenue Atco, NJ 08004 856-768-2505

CAPE MAY

Action Supply

1413 Old Stagecoach Road Seaville, NJ 08230 609-390-0663 actionsupplynj.com

Beaver Supply

18 Diamond Road Rio Grande, NJ 08242 609-886-2000

CUMBERLAND

Kennedy Concrete, Inc.

1969 South East Avenue Vineland, NJ 08360 856-692-8650 kennedyconcretenj.com

R. E. Cummines Inc.

67 Chestnut Avenue Vineland, NJ 08360 856-691-4040 recumminesinc.com

R&G Landscape Supply

496 Landis Avenue Bridgeton, NJ 08302 856-451-0948 rglandscapesupply.com

FSSEX

Brookside Garden Center

551 Broad Street Bloomfield, NJ 07003 973-748-0655

GLOUCESTER

BF Landscape Factory

1964 North Black Horse Pike Williamstown, NJ 08094 856-740-1445 bflandscape.com

Frank J. Fazzio & Sons Inc.

458 Elwood Avenue Pitman, NJ 08071 856-589-3760 fazzioconcrete.com

Garoppo Stone & Garden Center

1200 Harding Highway (Route 40) Newfield, NJ 08344 856-697-4444 garoppos.com

Rock Products Inc.

1675 Crown Point Road Thorofare, NJ 08086 856-848-7934 rockproductsinc.com

MERCER

Trenton Block & Hardscape Supply

625 Cherry Tree Lane Lawrenceville, NJ 08648 609-396-9750 mytrentonblock.com

MIDDLESEX

Bulk Yard 35

2069 Highway 35 South Amboy, NJ 08879

Gray Rock Supply Co.

64 West Railroad Avenue Jamesburg, NJ 08831 732-521-0580 grayrocksupply.com

North Brunswick Construction Materials

795 Ridgewood Avenue North Brunswick, NJ 08902 732-247-4989 nbcmaterials.com

MONMOUTH

Dunlop and Lisk

400 Main Street Matawan, NJ 07747 732-566-0243 dunlopandlisk.com

V & S Landscape Supply

950 Route 33 Freehold, NJ 07728 732-780-8444 vslandscapesupply.com

MORRIS

Curley Stone Company, Inc.

228 Route 10 Randolph, NJ 07869 973-361-1668 curleystone.com

EP Henry Hardscaping Center at Roxbury

5 Howard Boulevard Ledgewood, NJ 07852 888-31-Henry ephenryroxbury.com

Hoffman's Supply

35 East Mill Road Long Valley, NJ 07853 908-876-3111

AUTHORIZED DISTRIBUTORS

OCEAN

Hammett's Garden Center

425 Route 9 Forked River, NJ 08731 609-971-0453

Le-Ed Concrete & Supply Co.

1609 Lakewood Road Toms River, NJ 08755 732-341-4546 leedconcrete.com

Le-Ed Hardscaping Center

294 South Main Street (Route 9) Barnegat, NJ 08005 609-607-9300 leedconcrete.com

PASSAIC

Athenia Mason Supply Inc.

72 Mina Avenue Clifton, NJ 07011 973-253-0570

SALEM

Chick's Block Co.

65 N. Greenwich Street Alloway, NJ 08001 856-935-6101 chicksblockco.com

SOMERSET

LTD Landscaping & Nursery

460 Minebrook Road Bernardsville, NJ 07924 908-766-4442

Stone Center of Bridgewater

831 East Main Street Bridgewater, NJ 08807 800-827-6257

SUSSEX

Route 23 Patio & Mason Center

69 Route 23 North North Hamburg, NJ 07419 973-875-3287

UNION

Halls Garden Center

700 Springfield Avenue Berkley Heights, NJ 07922 908-665-0331 hallsgarden.com

NEW YORK

MONROE

Miller Brick Company

734 Ridgeway Avenue Rochester, NY 14615 585-458-7745 millerbrick.com

NASSAU

Lakeside Mason Supply 781 Foxhurst Road

Baldwin, NY 11510 516-223-6394 lakesidemason.com

ONONDAGA

Split Rock Supply

3767 Howlett Hill Road Syracuse, NY 13215 315-427-6522

SUFFOLK

Joseph M. Troffa Landscape & Mason Supply

70 Comsewogue Road, Suite #9 Fast Setauket NY 11733 631-928-4665 troffa.com

North Fork Bedrock LLC

265 Cox Lane Cutchogue, NY 11935 631-734-5804

Paul's Landscaping

686 Long Island Avenue Deer Park, NY 11729 631-242-8140 paulslandscaping.com

WESTCHESTER

Earthcon Landscape Supply

2279 Crompond Road Cortlandt, NY 10567 914-930-7675

NORTH CAROLINA

CURRITUCK

Bennett's Creek Nursery

147 Fox Knoll Drive Powells Point, NC 27966 252-491-8514 bcnursery.com

WAKE

Carolina Stone Products

10312 Globe Road Morrisville, NC 27560 919-293-1700 carolinastoneproducts.com

OHIO

SUMMIT

Mock Property Services

37 S. Cleveland Avenue Mogadore, OH 44260 330-628-9100 mockpropertyservices.com

PENNSYLVANIA

ALLEGHENY

84 Lumber (Cast Veneer Stone Only)

4950 Buttermilk Hollow Road West Mifflin, PA 15122 412-469-9684

885 Supply LLC

1215 Lebanon Road West Mifflin, PA 15122 412-461-5885

Dragun's Landscape Supply

4535 Peoples Road Pittsburgh, PA 15237 412-939-3675

Dragun's Landscape Supply

2458 Rochester Road Sewickley, PA 15143 412-635-8441

Rob Cronin Inc.

667 Route 30 Imperial, PA 15126 412-302-1341

Site One Landscape Supply

1025 Mount Nebo Road Pittsburgh, PA 15237 412-364-2195

BERKS

Fleetwood Building Block Inc.

240 W. Main Street Fleetwood, PA 19522 610-944-8385 fleetwoodblock.com

Hollenbach Home Center

Route 100 & County Line Road Bovertown PA 19512 610-367-2051

Keystone Landscape Supply/ A.R. Adams & Son

4 Industrial Drive Hamburg, PA 19526 aradamandson.com

Ridgewood Soils

175 Angstadt Lane Reading, PA 19606 610-373-0990 ridgewoodsoils.com

BLAIR

Tussey Mountain Mulch Landscape Center

8599 Woodbury Pike Hollidaysburg, PA 16648 814-696-1920 tusseymountainmulch.com

BUCKS

Eddington Supply LLC

2734 Bristol Pike Bensalem, PA 19020 215-639-0990 eddinatonsupplyllc.com

Stone Depot

1465 Route 113 Perkasie, PA 18944 215-249-0488 stonedepotpa.com

Trenton Block & Hardscape Supply

585 W. Bristol Road Warminster, PA 18974 215-860-8800 mytrentonblock.com

Wehrung's Lumber & Home Center

7711 Route 611 Ottsville, PA 18942 610-847-2100 wehrungs.com

BUTLER

Elite Stone LLC

1513 Perry Highway Portersville, PA 16051 724-368-4700 elitestonellc.com

CAMBRIA

Slovikosky Stone & Mulch Supply

3780 Colonel Drake Highway Patton, PA 16668 814-674-2322

CARBON

Forest Inn Masonry Supply

6160 Interchange Road (Route 209) Lehighton, PA 18235 610-377-5593 forestinnmasonry.com

CENTRE

Bricks and Stones Supply

409 Discovery Drive Boalsburg, PA 16827 814-364-1688 bricksandstones.com

CHESTER

Allied Landscape Supply-Brandywine

31 E. 1st Avenue Parkesburg, PA 19365 610-857-5756 alliedlandscape.com

Main Line Concrete & Supply

1001 Boot Road Downingtown, PA 19335 610-269-5556 mainlineconcrete.com

Woodward Landscape Supply

661 Schuylkill Road (Route 724) Phoenixville, PA 19460 610-983-9810 woodwardlandscapesupply.com

COLUMBIA

Riverview Block, Inc.

1507 Salem Boulevard, Route 11 Berwick, PA 18603 570-752-7191 riverview-block.com

CUMBERLAND

Budding Company

308 South 18th Street Camp Hill, PA 17011 717-737-2511 buddingco.com

Carlisle Cement Products Inc. 510 East North Street

Carlisle, PA 17013 717-243-5323 Tri-Boro Construction Supplies Inc.

1490 Ritner Highway Carlisle, PA 17013 800-248-6590 tri-borosupplies.com

DELAWARE

Galantino Supply Co., Inc. 725 Old Marple Road Springfield, PA 19064 610-544-2586 galantino.com

Site One Landscape Supply

5191 Concord Road Aston, PA 19014 610-358-0220

Home Warehouse Inc.

1389 Connellsville Road Uniontown, PA 15401 724-439-6330

GREENE

84 Lumber

118 Miller Lane Waynesburg, PA 15370 724-627-8439

INDIANA

Krevel Supply

265 Swamp Road Clymer, PA 15728 724-254-0403 krevelsupply.com

LACKAWANNA

Bricks and Stones Supply

East Grant Street & Garfield Avenue Olyphant, PA 18447 570-383-2406 bricksandstones.com

CONTINUED -

AUTHORIZED DISTRIBUTORS

LANCASTER

Allied Landscape Supply

5834 Old Lincoln Highway Gap, PA 17527 717-442-4390 alliedlandscape.com

Penn Stone

190 West Ross Street Lancaster, PA 17603 717-397-5264 patiopennstone.com

Sauder's Hardscape Supply

115 Ranck Church Road New Holland, PA 17557 717-354-5570

LAWRENCE

Harmony Hardscape & Landscape Supply

323 Gardner Road New Castle, PA 16101 724-714-6260 harmonyhardscape.com

LEBANON

Long Nursery, Inc.

1347 East Main Street Palmyra, PA 17078 717-838-2931 longnursery.com

LEHIGH

Stone Haven Supply

7209 Kernsville Road Orefield, PA 18069 610-395-3318 stonehavensupply.com

LUZERNE

Bricks and Stones Supply

140 Dilley Street Forty Fort, PA 18704 570-288-1471 bricksandstones.com

LYCOMING

Leonard Block Company

560 Old Route US Highway 220 Jersey Shore, PA 17740 570-398-3376 leonardblock.com

MONROE

447 Corner Stone Products

2089 Paradise Trail East Stroudsburg, PA 18301 570-476-0900

MONTGOMERY

Allied Landscape Supply

1752 Limekiln Pike Dresher, PA 19025 215-643-9857 alliedlandscape.com

Allied Landscape Supply

200 Limerick Center Road Limerick, PA 19468 610-495-1408 alliedlandscape.com

Norristown Brick

741 Forrest Avenue Norristown, PA 19403 610-539-1960 norristownbrick.com

Site One Landscape Supply

100 Green Tree Road Oaks, PA 19456 610-666-0595

NORTHAMPTON

Beth-Hanover Supply Co, Inc.

1050 Illicks Mill Road Bethlehem, PA 18017 610-867-5840

Blue Mountain Landscape Supplies, Inc.

288 W. Moorestown Road Wind Gap, PA 18091 610-746-6460 bluemountainlandscapingsupplies.com

The Brick Yard

1001 Nor-Bath Boulevard Northampton, PA 18067 610-261-1100

NORTHUMBERLAND

Central Builders Supply Co.

125 Bridge Avenue Sunbury, PA 17801 570-286-6461

Patterson Hardscape & Supply Co.

100 State Route 901 Mt. Carmel, PA 17851 570-339-4570 pattersonblockinc.com

SCHUYLKILL

Petritsch Lawns Garden Center

37 Springhouse Lane New Ringgold, PA 17960 570-386-2824 petritschlawns.com

Pine Creek Country Gardens

1425 Long Run Road, Route 443 Friedensburg, PA 17933 570-739-1140 pinecreekcountrygardens.com

SOMERSET

Berlin Lumber (Cast Veneer Stone Only)

2988 Berlin Plank Road Somerset, PA 15530 814-267-4651

WASHINGTON

84 Lumber

151 Poplar Drive Coal Center, PA 15423 724-938-6102

Bedner's Farm and Greenhouse

315 Coleman Road McDonald, PA 15057 724-926-2541

Federouch Landscape Supply

202 Buckeye Road Canonsburg, PA 15317 724-941-6965

WESTMORELAND

84 Lumber (Cast Veneer Stone Only)

1612 Roseytown Road Greensburg, PA 15601 724-834-0984

Earth Elements

11340 Center Highway Irwin, PA 15642 724-590-5921

Earth Elements

10799 Rillton-Guffey Road Rillton, PA 15678 724-446-5296

Sevic Landscape & Supply

4749 Leechburg Road, Route 56 New Kensington, PA 15068 724-335-0736 seviclandscapeandsupply.com

YORK

Standard Concrete Products Co.

700 N. Sherman Street York, PA 17402 717-843-8074 standardconcreteproducts.com

Tri-Boro Construction Supplies Inc.

465 Locust Street Dallastown, PA 17313 800-632-9018 tri-borosupplies.com

VIRGINIA

ACCOMACK

T & W Block, Inc.

21075 Washington Street Onley, VA 23418 757-787-2646 twblock.com

ALBEMARLE

Skyline Brick

3900 Seminole Trail Charlottesville, VA 22911 434-973-0535 skylinebrick.com

AUGUSTA

Skyline Brick

189 Keezletown Road Mount Sidney, VA 24467 434-466-3011 skylinebrick.com

GOOCHLAND

Stone Center of Richmond

2388 Lanier Road Rockville, VA 23146 804-343-3505 stonecenterofva.com

HENRICO

Pete Rose Inc.

9207 Old Staples Mill Road Henrico, VA 23228 804-288-7436 peteroseinc.com

JAMES CITY

Bennett's Creek Nursery

1568 Penniman Road Williamsburg, VA 23185 757-253-8714 bcnursery.com

LOUDOUN

Nova Stone

43085 Builders Lane Ashburn, VA 20147 703-674-5660

NORFOLK CITY

Batchelder & Collins, Inc.

2305 Granby Street Norfolk, VA 23517 757-625-2506 757brick.com

PRINCE WILLIAM

Stone Center of Northern Virginia

10405 Nokesville Road Manassas, VA 20110 703-393-2828 stonecenterofva.com

SPOTSYLVANIA

Stone Center of Fredericksburg

8241 Jefferson Davis Highway Fredericksburg, VA 22407 540-891-7866 stonecenterofva.com

STAFFORD

SMC Stone Mulch Center

78 Shelton Shop Road Stafford, VA 22554 540-657-5454

SUFFOLK CITY

Batchelder & Collins, Inc.

2140 Indian Trail Suffolk, VA 23434 757-934-2326 757brick.com

Bennett's Creek Nursery

5635 Shoulders Hill Road Suffolk, VA 23435 757-438-1425 bcnursery.com

VIRGINIA BEACH CITY

Bennett's Creek Nursery

1241 Princess Anne Road Virginia Beach, VA 23457 757-426-7000 bcnursery.com

WILLIAMSBURG

Batchelder & Collins, Inc.

197 Ewell Road Williamsburg, VA 23188 757-220-2806 757brick.com

WEST VIRGINIA

MONONGALIA

Affordable Landscape Supplies

273 Point Marion Road Morgantown, WV 26508 304-291-3400

Aquila Stone

271 Don Knotts Boulevard Morgantown, WV 26501 877-524-2011

© 2017 EP HENRY. ALL RIGHTS RESERVED. REPRODUCTION OF ANY OF THE CONTENTS OF THIS CATALOG IS PROHIBITED.

EP Henry Corporation Registered Trademarks include:
Bristol Stone®, Contractor Select®, Coventry®, Danbury®
DevonStone®, Duraface®, ECOCenter®, EP Henry®,
Octa Grande®, Tennyson®, Village Square®, EP Henry
Authorized Hardscaping Contractor®, EP Henry Authorized
Hardscaping Distributor®, Project Funding®, Coventry® ECO
Cobble®, ECO Cobble®, Project Services®,
Values that Endure®

EP Henry Corporation Trademarks include:
Chilton[™], Chiseled Stone[™], ColorTech[™], Durafacing[™],
ECO BrickStone[™], ECO[™] Paver, English Garden Wall[™],
Forma Stone[™], Hardscaping[™], Imperial[™], Inspiration to
Installation[™], I to I[™], Marquis Wall[™], Old Towne Cobble[™],
Rittenhouse Paver[™], Society Hill Brick Stone[™], Terrace Wall[™],
Tudor Wall[™], Quality for Life[™]. Other brands mentioned herein
are registered trademarks of their respective companies.

Policies, guarantees, warranties, and other statements are current as of the time of printing. Periodically, this content will be updated without notice and will supersede prior stated information.

Please consult $\ensuremath{\mathbf{ephenry.com}}$ for the latest information.


INDUSTRY EXCLUSIVE LIFETIME PRODUCT WARRANTY AND LIMITED INSTALLATION WARRANTY

Because we believe that the best warranty is one that you never use, we build quality into every product. We are so confident in our products that we offer a Lifetime Warranty on the structural integrity* of our paving stones and wall systems for residential use. At no cost to you, EP Henry will replace paving stones and wall system products whose structural integrity is found to be defective under normal use when properly installed according to EP Henry standards and guidelines (labor excluded). We also offer an industry exclusive Limited Installation Warranty on projects installed by an EP Henry Authorized Hardscaping Contractor®, referred through our Project Services team.** For complete terms and conditions of the warranty, visit ephenry.com.

*A defect in "structural integrity" means the inability of a properly installed and maintained paver or wall product to perform the function for which it was designed due to defects in material. A defect in "structural integrity" does not mean a function caused by improper installation, workmanship or efflorescence.

**Homeowners must register their project through EP Henry Project Services. Proof of purchase required.

Cast Stone Wall and Cast Veneer Stone products are covered under a separate warranty; please visit our website for details.



PRODUCT NOTES

READ PRIOR TO INSTALLING ANY PAVER OR WALL PRODUCT

If you believe there is an issue with product style, color, or quality, do not install it and please contact your distributor immediately. Save all cube tags and provide to the distributor or manufacturer's representative who comes to the job site. INSTALLATION OF PRODUCT IS DEEMED ACCEPTANCE. No claims or returns on installed product will be allowed.

EFFLORESCENCE

Efflorescence is a whitish, powder-like deposit common on concrete and masonry products which will normally disappear over time with natural weathering. According to the Interlocking Concrete Pavement Institute (ICPI), it will typically stop developing within 18-24 months. Although it may present an aesthetic concern, efflorescence will not affect the structural performance of pavers or wall systems. Efflorescence is a natural occurrence for which EP Henry accepts neither responsibility nor liability. For more information, please visit: www.icpi.org, www.ncma.org, www. masonryinstitute.org, or www.bia.org.

POLYMERIC SAND HAZE

Polymeric haze from the use of polymeric joint sand may appear on your pavers if the sand was not removed from the surface of the pavers properly. This does not in any way affect the integrity of your pavers or the installation. The haze will weather away naturally with time. If you wish to remove it with a cleaning product, it is recommended that you contact your distributor or the manufacturer of the polymeric sand used for advice and product recommendations. EP Henry accepts NO responsibility nor liability for this occurrence.

Please see p.138 for more information.

DE-ICING

While no concrete product is truly de-icing salt proof, EP Henry Pavers due to their high strength and low absorption rates — are more resistant to de-icing salts than poured concrete, asphalt and pavers that utilize inferior materials. However, misuse of de-icing products can, over time, lead to damage. EP Henry recommends the Interlocking Concrete Pavement Institute's guidelines to limit exposure to de-icing materials. For more information visit icpi.org.

COLOR

EP Henry Hardscaping products are made from natural materials and variations in shade can be expected. Additionally, many of our colors are achieved through a random mixture of several colors and the presence of any of these colors will vary from one unit to another. It is recommended that the installer draw from multiple cubes of material during installation to disperse any color range more uniformly. The end user of the material (home or business owner) should make their selection from current physical product samples that show the range of color.

DON'T SCUFF THOSE PAVERS!

EP Henry recommends the use of a vibrating plate compactor with a protective pad to prevent surface damage to the pavers during installation. EP Henry will not be responsible for compaction scuffs or burns on pavers. PLEASE NOTE, some pavers and all Devonstone slabs should not be compacted using a vibrating plate compactor.

Look for this symbol on product pages for restrictions.



NEXT STEPS

Whether you are looking to add a new front walkway to increase your curb appeal or planning an awe-inspiring outdoor living space, beginning a construction project can be a bit overwhelming at first.

We get it.

It's a big decision and you want it done right. We can help with the groundwork. In this fast-moving world of automation, sometimes you just need to talk to a live person, one-on-one. That's why we have a fulltime Project Service team to take your call and answer your questions.

Give us a call.

We'd love to learn about your project. We can help you find experienced EP Henry Authorized Hardscaping Contractors® in your area so you can begin discussing design ideas and getting quotes that fit your space and budget.

We take it a step further.

Because our goal is to provide you with the best product and ensure you get the best finished project, we have experts at every level to support our distributors and contractors with Technical and Product Installation assistance.

We've got you covered.

We are so confident in our products that we offer a FREE Lifetime Warranty on the structural integrity of our paving stones and wall products for residential use. That's saying a lot for a company that began in 1903. Take advantage of our industry-exclusive Limited Installation Warranty on projects installed by an EP Henry Authorized Hardscaping Contractor, referred though our Project Services team.

Get started!

Call us at 800-44-HENRY (800-444-3679) or visit ephenry.com/contact and an EP Henry Project Services team member will help you go from inspiration to installation.

My husband and I have decided to choose EP Henry purely based on the care and attention that we have received from their Project Services Team.

"I was living on the West Coast while in the process of building a home with a prominent homebuilder in Pennsylvania. During the final stages, it came time for me to choose the walkway and the landscaper suggested looking at EP Henry pavers. I emailed them for a catalog and a Project Services team member called me within one day and then offered to follow up once I received the catalog.

After discussing options with my husband, I called her back with some questions. I must say that I have not received this kind of outstanding customer service in a very long time. I found her patient, kind and extremely helpful. Being born and bred in NYC, I am not prone to gushing, but I am that impressed with the customer service that I have received. Furthermore, my husband and I have decided to choose EP Henry purely based on the care and attention that we have received from their Project Services Team."



Introducing ColorTech™

EP Henry ColorTech Pavers are an exciting new innovation which provides a premium look that's "a cut above" natural stone. The secret is a proprietary formula used in the manufacturing process that intensifies the beauty of our pavers while creating a protective coating that is resistant to staining, acid rain and UV rays. Pavers with ColorTech serve to enhance and protect your investment.







 $\textbf{Chiseled Stone}^{\tiny{™}} \ Sonoran \ with \ Color Tech$

NEW Imperial Rittenhouse™ Paver p.94



NEW Imperial Marquis[™] Wall p.102





Driftwood




New 2018 Imperial Colors





Sandy Beach Sandy Beach Driftwood





800.44.HENRY ephenry.com @EPHenryUSA

















